

CARC OPEN DATA

You are welcome to use Classical Art Research Centre data for the purposes of private research or education. The publication or dissemination of research based on downloaded data must acknowledge the source. Please let us know how you have made use of our data. This is important for our funding and for ongoing improvements to the service.

PROGRAMMATIC METHODS OF SEARCHING CARC OPEN DATA

1. All records in all CARC databases can be accessed through a URI. This can have an extension to specify the format of the data
 - a. None: Web friendly display
 - b. /csv: CSV format
 - c. /xml: XML format
 - d. /rdf: RDF format (CIDOC CRM encoded).

E.g.


<http://www.beazley.ox.ac.uk/record/AA1CD952-927D-41D7-B7AF-39520936CF95>



The screenshot shows the website interface for the Classical Art Research Centre at the University of Oxford. The page title is "CLASSICAL ART RESEARCH CENTRE" and the University of Oxford logo is visible. The navigation menu includes Home, Beazley Archive, Pottery database, Gem research, Terracottas, Other databases, Events, Resources, Publications, and People. The main content area displays a record for an amphora, titled "1, Munich, Antikensammlungen, Munich, Antikensammlungen, Rome, Candelori Collection, 1539". A small image of the amphora is shown on the left. To the right of the image is a list of metadata:

- **Vase Number:** 1
- **Fabric:** ATHENIAN
- **Technique:** BLACK-FIGURE
- **Shape Name:** AMPHORA, NECK
- **Provenance:** ITALY, ETRURIA, VULCI
- **Date:** -550 to -500
- **Attributed To:** CHIUSI P by KUNZE-GOTTE
LEAGROS GROUP by KUNZE-GOTTE
- **Decoration:** A,B: TRIPTOLEMOS ON WINGED CHARIOT BETWEEN DEMETER AND PERSEPHONE
- **Current Collection:** Munich, Antikensammlungen: J543

<http://www.beazley.ox.ac.uk/record/AA1CD952-927D-41D7-B7AF-39520936CF95/csv>



The screenshot shows the website interface for the Classical Art Research Centre at the University of Oxford, displaying the CSV export of the amphora record. The page title is "CLASSICAL ART RESEARCH CENTRE" and the University of Oxford logo is visible. The navigation menu includes Home, Beazley Archive, Pottery database, Gem research, Terracottas, Other databases, Events, Resources, Publications, and People. The main content area displays the CSV export of the record, titled "1, Munich, Antikensammlungen, Munich, Antikensammlungen, Rome, Candelori Collection, 1539". The CSV data is as follows:

URI,Vase Number,Fabric,Technique,Sub Technique,Shape Name,Provenance,Date,Inscriptions, Attributed To, Decoration, Collection Record, Publication Record
http://www.beazley.ox.ac.uk/record/8C5C25CA-9E1C-41A2-886A-2558611DCA04.1,ATHENIAN,BLACK-FIGURE,,AMPHORA, NECK",,ITALY, ETRURIA, VULCI",,-550 to -500,,CHIUSI P by KUNZE-GOTTE LEAGRO GROUP by KUNZE-GOTTE,"A,B: TRIPTOLEMOS ON WINGED CHARIOT BETWEEN DEMETER AND PERSEPHONE",,"Munich, Antikensammlungen: J543 Rome, Candelori Collection Munich, Antikensammlungen: 1539",,"Corpus Vasorum Antiquorum: MUNICH, MUSEUM ANTIKER KLEINKUNST 8, 56-57, BEILAGE D4, PLS (1816,1820,1830) 398.4.402.1-2,412.2 View Whole CVA Plates Crouwel, J.H., Chariots and other Wheeled Vehicles in Iron Age Greece, Allard Pierson Series 9 (Amsterdam, 1992): PL.26.3 (DRAWING OF PART) Jahrbuch des Deutschen Archaologischen Instituts: 87 (1972), 81, FIGS.12, 13 (A, B)''

<http://www.beazley.ox.ac.uk/record/AA1CD952-927D-41D7-B7AF-39520936CF95/xml>

```
← → ↻ ⓘ view-source:www.beazley.ox.ac.uk/XDB/ASP/recordDetails.asp?id=AA1CD952-927D-41D7-B7AF-39520936CF95/xml
1 <?xml version="1.0" encoding="UTF-8"?>
2 <XDBData>
3 <Record id="{7BE358FB-23CE-402F-8D89-51D738C48C5D}">
4   <Vase-Number> 1 </Vase-Number>
5   <Fabric> ATHENIAN </Fabric>
6   <Technique> BLACK-FIGURE </Technique>
7   <Shape-Record>
8     <Shape-Code> NKA </Shape-Code>
9     <Shape-Name> AMPHORA, NECK </Shape-Name>
10  </Shape-Record>
11  <Provenance> ITALY, ETRURIA, VULCI </Provenance>
12  <Date>
13    <From-Date> -550 </From-Date>
14    <To-Date> -500 </To-Date>
```

<http://www.beazley.ox.ac.uk/record/AA1CD952-927D-41D7-B7AF-39520936CF95/rdf>

```
← → ↻ ⓘ view-source:www.beazley.ox.ac.uk/XDB/ASP/recordDetails.asp?id=AA1CD952-927D-41D7-B7AF-39520936CF95/rdf
1 <?xml version="1.0" encoding="UTF-8"?>
2 <!DOCTYPE rdf:RDF [
3   <!ENTITY rdf "http://www.w3.org/1999/02/22-rdf-syntax-ns#">
4   <!ENTITY rdfs "http://www.w3.org/2000/01/rdf-schema#">
5   <!ENTITY owl "http://www.w3.org/2002/07/owl#">
6   <!ENTITY crm "http://purl.org/NET/crm-owl#">
7   <!ENTITY claros "http://purl.org/NET/Claros/vocab#">
8   <!ENTITY claros_place "http://purl.org/NET/Claros/place#">
9   <!ENTITY claros_placeid "http://purl.org/NET/Claros/placeid#">
10 ]>
11 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
12   xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#"
13   xmlns:owl="http://www.w3.org/2002/07/owl#"
14   xmlns:crm="http://purl.org/NET/crm-owl#"
15   xmlns:claros="http://purl.org/NET/Claros/vocab#"
16 <crm:E22_Man-Made_Object rdf:about="http://www.beazley.ox.ac.uk/record/8C5C25CA-9E1C-41A2-886A-2558611DCA04">
17   <rdfs:label>1, Munich, Antikensammlungen, Munich, Antikensammlungen, Rome, Candelori Collection, 1539</rdfs:label>
18   <crm:P102_has_title>
19     <crm:E35_Title>
20       <rdf:value>1, Munich, Antikensammlungen, Munich, Antikensammlungen, Rome, Candelori Collection, 1539</rdf:value>
21     </crm:E35_Title>
22   </crm:P102_has_title>
23   <crm:P2_has_type>
24     <crm:E55_Type>
25       <rdf:value>Pottery</rdf:value>
26     </crm:E55_Type>
27   <crm:P127_has_broader_term rdf:resource="http://purl.org/NET/Claros/vocab#ObjectType" />
28   </crm:E22_Man-Made_Object>
```

2. These URIs are displayed on the web friendly output and can be used as references by researchers. They are also included whenever a record is referenced in data e.g.

XML

```

126 <Filename> Images200/GER37/CVA.GER37.1816.4/ </Filename>
127 <Image-No> 0 </Image-No>
128 <Licence-Plate> 11 UK 1007 46470 </Licence-Plate>
129 <Image-Type> 0 </Image-Type>
130 <Beazley-Drawing> N </Beazley-Drawing>
131 </Image-Record>
132 <URI> http://www.beazley.ox.ac.uk/record/AA1CD952-927D-41D7-B7AF-39520936CF95 </URI>
133 </Record>
134 </XDBData>

```

CSV

```

1 URI,Vase Number,Fabric,Technique,Sub Technique,Shape Name,Provenance,Date,Inscriptions, Attributed To, De
2 http://www.beazley.ox.ac.uk/record/8C5C25CA-9E1C-41A2-886A-2558611DCA04,1,ATHENIAN,BLACK-FIGURE,, "AMPHORA
3 DEMETER AND PERSEPHONE", "Munich, Antikensammlungen: J543 | Rome, Candelori Collection | Munich, Antikens:
target=_blank href=browseCVARRecord.asp?id={8C5C25CA-9E1C-41A2-886A-2558611DCA04}&startRef=>View Whole CV
OF PART) | Jahrbuch des Deutschen Archäologischen Instituts: 87 (1972), 81, FIGS.12, 13 (A, B)",,,,,,,

```

RDF

```

1 <?xml version="1.0" encoding="UTF-8"?>
2 <!DOCTYPE rdf:RDF [
3 <!ENTITY rdf "http://www.w3.org/1999/02/22-rdf-syntax-ns#">
4 <!ENTITY rdfs "http://www.w3.org/2000/01/rdf-schema#">
5 <!ENTITY owl "http://www.w3.org/2002/07/owl#">
6 <!ENTITY crm "http://purl.org/NET/crm-owl#">
7 <!ENTITY claros "http://purl.org/NET/Claros/vocab#">
8 <!ENTITY claros_place "http://purl.org/NET/Claros/place#">
9 <!ENTITY claros_placeid "http://purl.org/NET/Claros/placeid#">
10 ]>
11 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
12 xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#"
13 xmlns:owl="http://www.w3.org/2002/07/owl#"
14 xmlns:crm="http://purl.org/NET/crm-owl#"
15 xmlns:claros="http://purl.org/NET/Claros/vocab#">
16 <crm:E22_Man-Made_Object rdf:about="http://www.beazley.ox.ac.uk/record/8C5C25CA-9E1C-41A2-886A-2558611DCA04">
17 <rdfs:label>1, Munich, Antikensammlungen, Munich, Antikensammlungen, Rome, Candelori Collection, 1539</rdfs:label>
18 <crm:P102_has_title>
19 <crm:E35_Title>
20 <rdf:value>1, Munich, Antikensammlungen, Munich, Antikensammlungen, Rome, Candelori Collection, 1539</rdf:val
21 </crm:E35_Title>
22 </crm:P102_has_title>

```

3. Termword lists can be accessed through URIs.

URI format:

<http://www.beazley.ox.ac.uk/id/{field name}/{optional field value}/{optional data format}>

Where:

{field name} = any database field name e.g.: Fabric, Shape+Name, Decoration+Termword


{optional field value} = a specific value for the list e.g. Amphora, Athenian.

{optional data format} =

- a. None: Web friendly display
- b. /csv: CSV format
- c. /xml: XML format
- d. /rdf: RDF format (CIDOC CRM encoded).

E.g.


<http://www.beazley.ox.ac.uk/id/Shape+Name>



The screenshot shows a web browser window with the address bar containing the URL www.beazley.ox.ac.uk/XDB/ASP/idDetails.asp?id=Shape+Name. The main content area displays a list of archaeological terms with their corresponding counts in parentheses to the right.

PELIKE	(2216)
KRATER, COLUMN	(1934)
KRATER, BELL	(1885)
ALABASTRON	(1526)
CUP FRAGMENTS	(1434)
LEKYTHOS FRAGMENT	(1432)
ARYBALLOS	(1382)
PYXIS	(1365)
KRATER FRAGMENT	(1303)
BOWL	(1204)
KRATER, BELL FRAGMENT	(1147)
AMPHORA B	(1086)
CUP LITTLE MASTER BAND FRAGMENT	(1079)
VARIOUS	(1041)
CUP LITTLE MASTER BAND	(1029)
KRATER, COLUMN FRAGMENT	(943)
KANTHAROS	(916)

<http://www.beazley.ox.ac.uk/id/Shape+Name/PELIKE>



The screenshot shows a web browser window with the address bar containing the URL www.beazley.ox.ac.uk/XDB/ASP/idDetails.asp?id=Shape+Name/PELIKE. The main content area displays the text "Shape Name: PELIKE".

Shape Name: PELIKE

<http://www.beazley.ox.ac.uk/id/Shape+Name/xml>

```
view-source:www.beazley.ox.ac.uk/XDB/ASP/idDetails.asp?id=Shape+Name/xml
1 <?xml version="1.0" encoding="UTF-8"?>
2 <XDBData>
3 <Shape+Name+List>
4 <Shape+Name><title>PELIKE</title><number-of-results>2216</number-of-results>
  <URI>http://www.beazley.ox.ac.uk/id/Shape+Name/PELIKE</URI></Shape+Name>
5 <Shape+Name><title>KRATER, COLUMN</title><number-of-results>1934</number-of-results>
  <URI>http://www.beazley.ox.ac.uk/id/Shape+Name/KRATER%2C+COLUMN</URI></Shape+Name>
6 <Shape+Name><title>KRATER, BELL</title><number-of-results>1885</number-of-results>
  <URI>http://www.beazley.ox.ac.uk/id/Shape+Name/KRATER%2C+BELL</URI></Shape+Name>
7 <Shape+Name><title>ALABASTRON</title><number-of-results>1526</number-of-results>
  <URI>http://www.beazley.ox.ac.uk/id/Shape+Name/ALABASTRON</URI></Shape+Name>
8 <Shape+Name><title>CUP FRAGMENTS</title><number-of-results>1434</number-of-results>
```

www.beazley.ox.ac.uk/XDB/ASP/idDetails.asp?id=Shape+Name/csv

```
view-source:www.beazley.ox.ac.uk/XDB/ASP/idDetails.asp?id=Shape+Name/csv
1 Shape Name, Number of occurrences, URI
2 PELIKE, 2216, http://www.beazley.ox.ac.uk/id/Shape+Name/PELIKE
3 "KRATER, COLUMN", 1934, http://www.beazley.ox.ac.uk/id/Shape+Name/KRATER%2C+COLUMN
4 "KRATER, BELL", 1885, http://www.beazley.ox.ac.uk/id/Shape+Name/KRATER%2C+BELL
5 ALABASTRON, 1526, http://www.beazley.ox.ac.uk/id/Shape+Name/ALABASTRON
6 CUP FRAGMENTS, 1434, http://www.beazley.ox.ac.uk/id/Shape+Name/CUP+FRAGMENTS
7 LEKYTHOS FRAGMENT, 1432, http://www.beazley.ox.ac.uk/id/Shape+Name/LEKYTHOS+FRAGMENT
8 ARYBALLOS, 1382, http://www.beazley.ox.ac.uk/id/Shape+Name/ARYBALLOS
9 PYXIS, 1365, http://www.beazley.ox.ac.uk/id/Shape+Name/PYXIS
10 KRATER FRAGMENT, 1303, http://www.beazley.ox.ac.uk/id/Shape+Name/KRATER+FRAGMENT
11 BOWL, 1204, http://www.beazley.ox.ac.uk/id/Shape+Name/BOWL
12 "KRATER, BELL FRAGMENT", 1147, http://www.beazley.ox.ac.uk/id/Shape+Name/KRATER%2C+B
```

www.beazley.ox.ac.uk/XDB/ASP/idDetails.asp?id=Shape+Name/rdf

```
view-source:www.beazley.ox.ac.uk/XDB/ASP/idDetails.asp?id=Shape+Name/rdf
1 <?xml version="1.0" encoding="UTF-8"?>
2 <!DOCTYPE rdf:RDF [
3 <!ENTITY rdf "http://www.w3.org/1999/02/22-rdf-syntax-ns#">
4 <!ENTITY rdfs "http://www.w3.org/2000/01/rdf-schema#">
5 <!ENTITY owl "http://www.w3.org/2002/07/owl#">
6 <!ENTITY crm "http://purl.org/NET/crm-owl#">
7 <!ENTITY claros "http://purl.org/NET/Claros/vocab#">
8 <!ENTITY claros_place "http://purl.org/NET/Claros/place#">
9 <!ENTITY claros_placeid "http://purl.org/NET/Claros/placeid#">
10 ]>
11 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
12   xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#"
13   xmlns:owl="http://www.w3.org/2002/07/owl#"
14   xmlns:crm="http://purl.org/NET/crm-owl#"
15   xmlns:claros="http://purl.org/NET/Claros/vocab#">
16 <Shape+Name><title>PELIKE</title><number-of-results>2216</number-of-results>
  <URI>http://www.beazley.ox.ac.uk/id/Shape+Name/PELIKE</URI></Shape+Name>
17 <Shape+Name><title>KRATER, COLUMN</title><number-of-results>1934</number-of-results>
  <URI>http://www.beazley.ox.ac.uk/id/Shape+Name/KRATER%2C+COLUMN</URI></Shape+Name>
18 <Shape+Name><title>KRATER, BELL</title><number-of-results>1885</number-of-results>
  <URI>http://www.beazley.ox.ac.uk/id/Shape+Name/KRATER%2C+BELL</URI></Shape+Name>
19 <Shape+Name><title>ALABASTRON</title><number-of-results>1526</number-of-results>
```

www.beazley.ox.ac.uk/XDB/ASP/idDetails.asp?id=Shape+Name/Pelike/rdf



```
1 <?xml version="1.0" encoding="UTF-8"?>
2 <!DOCTYPE rdf:RDF [
3 <!ENTITY rdf "http://www.w3.org/1999/02/22-rdf-syntax-ns#">
4 <!ENTITY rdfs "http://www.w3.org/2000/01/rdf-schema#">
5 <!ENTITY owl "http://www.w3.org/2002/07/owl#">
6 <!ENTITY crm "http://purl.org/NET/crm-owl#">
7 <!ENTITY claros "http://purl.org/NET/Claros/vocab#">
8 <!ENTITY claros_place "http://purl.org/NET/Claros/place#">
9 <!ENTITY claros_placeid "http://purl.org/NET/Claros/placeid#">
10 ]>
11 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
12     xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#"
13     xmlns:owl="http://www.w3.org/2002/07/owl#"
14     xmlns:crm="http://purl.org/NET/crm-owl#"
15     xmlns:claros="http://purl.org/NET/Claros/vocab#">
16 <Shape+Name><title>Pelike</title><URI>http://www.beazley.ox.ac.uk/id/Shape+Name/Pelike</URI></Shape+Name>
17 </rdf:RDF>
```

4. Searches can be performed direct from a 3rd party application using the URL:
<http://www.beazley.ox.ac.uk/xdB/ASP/searchOpen.asp?Search={Search Term}/{optional data format}>

Where:

{Search Term} = a search term which can be a general Google style search or a complex structured search e.g.

amphora herakles lion (multiple terms treated as joined with 'and')

herakles or lion (use 'or' to return all results with either the first or second term)

"victoria and albert" maenad (use "" to bracket an exact phrase)

[Shape Name] HYDRIA {AND} [Artist Name] ANTIMENES P (using specific field names and conjunctions)

[Artist Name] HAIMON P {AND} ([Provenance] ITALY, SPINA {OR} [Provenance] SAMOS, HERAION) (using specific field names and conjunctions and bracketing)

{optional data format} =

- None: Web friendly display
- /csv: CSV format
- /xml: XML format
- /rdf: RDF format (CIDOC CRM encoded).

E.g.

<https://www.beazley.ox.ac.uk/XDB/ASP/searchOpen.asp?Search=herakles+lion+amphora>

The screenshot shows the Beazley Archive Pottery Database search results for the query 'herakles lion amphora'. The page header includes the 'CLASSICAL ART RESEARCH CENTRE' logo and the 'UNIVERSITY OF OXFORD' logo. The search results are displayed in a table with columns for 'Vase Number' and 'Fabric'. The results list various artifacts, including those from New York, London, and Munich.

Vase Number	Fabric
14	New York (NY), private, London, market, Sotheby's, Basel, market, Munzen und Medaillen A.G.
37	Kyoto, Hashimoto Collection, Japan, private, Paris, Market, 130
596	Boston (MA), Museum of Fine Arts, London, market, Sotheby's, 1970.69
705	New York (NY), Metropolitan Museum, New York (NY), Metropolitan Museum, GR523
1014	New York (NY), Metropolitan Museum, New York (NY), Gallatin, London, market, Sotheby's, 41
1493	Munich, Antikensammlungen, Munich, Antikensammlungen, Rome, Candelori Collection, 1556
1494	Cleveland (OH), Museum of Art, 70.16
1576	Munich, Antikensammlungen, Munich, Antikensammlungen, Unknown, Casino Collection, 1304

<https://www.beazley.ox.ac.uk/XDB/ASP/searchOpen.asp?Search=herakles+lion+amphora/xml>

The screenshot shows the XML output for the search query 'herakles lion amphora'. The XML is displayed in a tree view, showing the structure of the data returned by the search engine. The root element is <XDBData>, which contains a <Record id="{8783A494-195F-45CB-8C04-B8ECC94E7C73}"> element. This element contains various attributes and nested elements, including <Vase-Number>, <Fabric>, <Technique>, <Shape-Record>, <Date-Range>, <Attributed-To>, and <Artist>.

```
<XDBData>
  <Record id="{8783A494-195F-45CB-8C04-B8ECC94E7C73}">
    <Vase-Number>14</Vase-Number>
    <Fabric>ATHENIAN</Fabric>
    <Technique>BLACK-FIGURE</Technique>
    <Shape-Record>
      <Shape-Code>NKA</Shape-Code>
      <Shape-Name>AMPHORA, NECK</Shape-Name>
    </Shape-Record>
    <Date-Range>575-525</Date-Range>
    <Attributed-To>
      <Artist>
        <Artist-Code>BOTCL</Artist-Code>
        <Artist-Name>BOTKIN CLASS</Artist-Name>
      </Artist>
    </Attributed-To>
  </Record>
</XDBData>
```

<https://www.beazley.ox.ac.uk/XDB/ASP/searchOpen.asp?Search=herakles+lion+amphora/rdf>

```

export38401618359040AF944F372F273637D6.rdf
1 <?xml version="1.0" encoding="UTF-8"?>
2 <!DOCTYPE rdf:RDF [
3 <!ENTITY rdf "http://www.w3.org/1999/02/22-rdf-syntax-ns#">
4 <!ENTITY rdfs "http://www.w3.org/2000/01/rdf-schema#">
5 <!ENTITY owl "http://www.w3.org/2002/07/owl#">
6 <!ENTITY crm "http://purl.org/NET/crm-owl#">
7 <!ENTITY claros "http://purl.org/NET/Claros/vocab#">
8 <!ENTITY claros_place "http://purl.org/NET/Claros/place#">
9 <!ENTITY claros_placeid "http://purl.org/NET/Claros/placeid#">
10 ]>
11 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
12     xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#"
13     xmlns:owl="http://www.w3.org/2002/07/owl#"
14     xmlns:crm="http://purl.org/NET/crm-owl#"
15     xmlns:claros="http://purl.org/NET/Claros/vocab#">
16 <crm:E22_Man-Made_Object rdf:about="http://www.beazley.ox.ac.uk/record/236F835C-
17 <rdfs:label>14, New York (NY), private, London, market, Sotheby's, Basel, mark
18 <crm:P102_has_title>
19 <crm:E35_Title>
20 <rdfs:value>14, New York (NY), private, London, market, Sotheby's, Basel, m
21 </crm:E35_Title>
22 </crm:P102_has_title>
23 <crm:P2_has_type>

```

<https://www.beazley.ox.ac.uk/XDB/ASP/searchOpen.asp?Search=herakles+lion+amphora/csv>

Clipboard		Font		Alignment		Number		URI										
A1	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P		
1	URI	Vase Num	Fabric	Technique	Sub Techn	Shape	Nai	Provenan	Date	Inscriptio	Attribute	Decoratic	Collectio	Publicatic	Inscriptio	Measuren	Volume	Wei
2	http://ww	14	ATHENIAN	BLACK-FIGURE		AMPHORA, NECK								BOTKIN CIA: EROTIC, New York	Berard, C. (ed.), Images et societe en Grece ar			
3																		
4	http://ww	37	ATHENIAN	BLACK-FIGURE		AMPHORA B		-550 to -500						A: HERAKL Kyoto, Ha: Corpus Vasorum Antiquorum: JAPAN, SCHWA				
5																		
6	http://ww	596	ATHENIAN	BLACK-FIGURE		AMPHORA, NECK		-550 to -500			MUNICH 1A: HERAKL	Boston (M	Corpus Vasorum Antiquorum: BOSTON, MUSE					
7																		
8	http://ww	705	ATHENIAN	BLACK-FIGURE		AMPHORA, NECK		-525 to -475			DIOSPHOS A: HERA, I	New York	American Journal of Archaeology: 20 (1916), 4					
9																		
10	http://ww	1014	ATHENIAN	BLACK-FIGURE		AMPHORA, NECK		-525 to -475						A: HERAKL New York	Corpus Vasorum Antiquorum: CAMBRIDGE (M			